

REST Web Service Resources in OpenMRS 1.9

We have migrated to online swagger documentation that is generated on the fly. Please visit

<https://demo.openmrs.org/openmrs/module/webservices/rest/apiDocs.htm>

This page is generated automatically and must not be edited manually. It describes the urls/resources published by the [REST Module](#).

For more information on conventions, authentication, and setup, see the main [REST Web Services API For Clients](#) page.

- [ActiveListType](#)
- [Cohort](#)
- [CohortMember](#)
- [Concept](#)
- [ConceptClass](#)
- [ConceptDatatype](#)
- [ConceptDescription](#)
- [ConceptMap](#)
- [ConceptMapType](#)
- [ConceptName](#)
- [ConceptReferenceTerm](#)
- [ConceptReferenceTermMap](#)
- [ConceptSource](#)
- [Drug](#)
- [Encounter](#)
- [EncounterType](#)
- [Field](#)
- [FieldAnswer](#)
- [FieldType](#)
- [Form](#)
- [FormField](#)
- [FormResource](#)
- [HL7](#)
- [HL7Source](#)
- [Location](#)
- [LocationAttribute](#)
- [LocationAttributeType](#)
- [LocationTag](#)
- [Obs](#)
- [Order](#)
- [DrugOrder subclass of Order](#)
- [OrderType](#)
- [Patient](#)
- [PatientIdentifier](#)
- [PatientIdentifierType](#)
- [Person](#)
- [PersonAddress](#)
- [PersonAttribute](#)
- [PersonAttributeType](#)
- [PersonName](#)
- [Privilege](#)
- [Problem](#)
- [Provider](#)
- [ProviderAttribute](#)
- [ProviderAttributeType](#)
- [Role](#)
- [User](#)
- [Visit](#)
- [VisitAttribute](#)
- [VisitAttributeType](#)
- [VisitType](#)



When a parameter has a bang "!" in front of it, it means that url will only be called if that parameter does NOT exist.

Properties listed in **bold** must not be null.

ActiveListType

URLs

url	description
GET /ws/rest/v1/activelisttype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/activelisttype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/activelisttype	Create with properties in request
POST /ws/rest/v1/activelisttype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/activelisttype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/activelisttype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description

Allergy

URLs

url	description
GET /ws/rest/v1/allergy	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/allergy/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/allergy	Create with properties in request
POST /ws/rest/v1/allergy/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/allergy/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/allergy/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display person activeListType startDate endDate startObs stopObs comments voided allergyType reaction severity allergen links resourceVersion	uuid display person activeListType startDate endDate startObs stopObs comments voided auditInfo allergyType reaction severity allergen links resourceVersion	person startDate comments startObs stopObs allergyType allergen reaction severity	person startDate comments startObs stopObs allergyType allergen reaction severity

Cohort

URLs

url	description
GET /ws/rest/v1/cohort	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/cohort/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/cohort	Create with properties in request
POST /ws/rest/v1/cohort/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/cohort/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/cohort/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description voided memberIds links resourceVersion	uuid display name description memberIds voided auditInfo links resourceVersion	name description memberIds	name description

CohortMember

URLs

url	description
GET /ws/rest/v1/cohort/{parentUuid}/member/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/cohort/{parentUuid}/member	Fetch all non-retired
POST /ws/rest/v1/cohort/{parentUuid}/member	Create with properties in request
POST /ws/rest/v1/cohort/{parentUuid}/member/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/cohort/{parentUuid}/member/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/cohort/{parentUuid}/member/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
display links	display patient links resourceVersion	display patient links resourceVersion	patient	patient

Concept

URLs

url	description
GET /ws/rest/v1/concept	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/concept/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/concept	Create with properties in request

POST /ws/rest/v1/concept/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/concept/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/concept/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name datatype conceptClass set version retired names descriptions mappings answers setMembers links resourceVersion	uuid display name datatype conceptClass set version retired names descriptions mappings answers setMembers auditInfo links resourceVersion	names datatype conceptClass descriptions set version mappings answers setMembers	datatype conceptClass set version mappings answers setMembers name

Examples

Call Type	Sample URL	Output
GET	/ws/rest/v1/concept	Returns a list of top 50 concepts with uuid, display and links
GET	/ws/rest/v1/concept?v=custom:(uuid,name)	Returns a list of top 50 concepts
GET	/ws/rest/v1/concept/cbec024a-8bb4-4fcc-b59b-c7b706bb432e	Returns full description of a concept, including: uuid, name, display, datatype, conceptClass, set, version, retired, names, mappings, etc.
GET	/ws/rest/v1/concept?q=Yes	Returns list of concepts matching "Yes" with uuid, display and links
GET	/ws/rest/v1/concept?q=COUGH&v=custom:(uuid,name)	Returns list of concepts matching "COUGH" with uuid and name

ConceptClass

URLs

url	description
GET /ws/rest/v1/conceptclass	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptclass/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/conceptclass	Create with properties in request
POST /ws/rest/v1/conceptclass/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptclass/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptclass/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
---------	-------------	----------	-------------	-------------

uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description
--------------------------	---	--	----------------------------	----------------------------

ConceptDatatype

URLs

url	description
GET /ws/rest/v1/conceptdatatype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptdatatype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/conceptdatatype	Create with properties in request
POST /ws/rest/v1/conceptdatatype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptdatatype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptdatatype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description hl7Abbreviation retired links resourceVersion	uuid display name description hl7Abbreviation retired auditInfo links resourceVersion	name description	name description

ConceptDescription

URLs

url	description
GET /ws/rest/v1/concept/{parentUuid}/description/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/concept/{parentUuid}/description	Fetch all non-retired
POST /ws/rest/v1/concept/{parentUuid}/description	Create with properties in request
POST /ws/rest/v1/concept/{parentUuid}/description/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/concept/{parentUuid}/description/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/concept/{parentUuid}/description/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid description locale links resourceVersion	uuid description locale auditInfo links resourceVersion	description locale	description locale

ConceptMap

URLs

url	description
GET /ws/rest/v1/concept/{parentUuid}/mapping/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/concept/{parentUuid}/mapping	Fetch all non-retired
POST /ws/rest/v1/concept/{parentUuid}/mapping	Create with properties in request
POST /ws/rest/v1/concept/{parentUuid}/mapping/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/concept/{parentUuid}/mapping/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/concept/{parentUuid}/mapping/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid conceptReferenceTerm conceptMapType links resourceVersion	display uuid conceptReferenceTerm conceptMapType auditInfo links resourceVersion	conceptReferenceTerm conceptMapType	conceptReferenceTerm conceptMapType

ConceptMapType

URLs

url	description
GET /ws/rest/v1/conceptmaptype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptmaptype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/conceptmaptype	Create with properties in request
POST /ws/rest/v1/conceptmaptype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptmaptype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptmaptype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description isHidden retired links resourceVersion	uuid display name description isHidden retired auditInfo links resourceVersion	name description isHidden	name description isHidden

ConceptName

URLs

url	description
-----	-------------

GET /ws/rest/v1/concept/{parentUuid}/name/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/concept/{parentUuid}/name	Fetch all non-retired
POST /ws/rest/v1/concept/{parentUuid}/name	Create with properties in request
POST /ws/rest/v1/concept/{parentUuid}/name/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/concept/{parentUuid}/name/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/concept/{parentUuid}/name/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid name locale localePreferred conceptNameType links resourceVersion	display uuid name locale localePreferred conceptNameType auditInfo links resourceVersion	name locale localePreferred conceptNameType	name locale localePreferred conceptNameType

ConceptReferenceTerm

URLs

url	description
GET /ws/rest/v1/conceptreferenceterm	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptreferenceterm/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/conceptreferenceterm	Create with properties in request
POST /ws/rest/v1/conceptreferenceterm/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptreferenceterm/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptreferenceterm/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name conceptSource description code version retired conceptReferenceTermMaps links resourceVersion	uuid display name conceptSource description code version retired conceptReferenceTermMaps auditInfo links resourceVersion	code conceptSource name description version conceptReferenceTermMaps	code conceptSource name description version conceptReferenceTermMaps

ConceptReferenceTermMap

URLs

url	description
GET /ws/rest/v1/conceptreferencetermmap	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptreferencetermmap/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/conceptreferencetermmap	Create with properties in request
POST /ws/rest/v1/conceptreferencetermmap/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptreferencetermmap/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptreferencetermmap/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display termA termB conceptMapType links resourceVersion	uuid display termA termB conceptMapType auditInfo links resourceVersion	termA termB conceptMapType	termA termB conceptMapType

ConceptSource

URLs

url	description
GET /ws/rest/v1/conceptsource	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/conceptsource/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/conceptsource	Create with properties in request
POST /ws/rest/v1/conceptsource/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/conceptsource/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/conceptsource/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description hl7Code retired links resourceVersion	uuid display name description hl7Code retired auditInfo links resourceVersion	name description hl7Code	name description hl7Code

Drug

URLs

url	description
GET /ws/rest/v1/drug	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/drug/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/drug	Create with properties in request
POST /ws/rest/v1/drug/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/drug/{uuid}?!purge	Retire/Void this object

DELETE /ws/rest/v1/drug/{uuid}?purge	Delete this object from the database
--------------------------------------	--------------------------------------

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid name description retired dosageForm doseStrength maximumDailyDose minimumDailyDose units concept combination route links resourceVersion	display uuid name description retired dosageForm doseStrength maximumDailyDose minimumDailyDose units concept combination route auditInfo links resourceVersion	name description combination concept doseStrength maximumDailyDose minimumDailyDose units dosageForm route	name description combination concept doseStrength maximumDailyDose minimumDailyDose units dosageForm route

Encounter

URLs

url	description
GET /ws/rest/v1/encounter	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/encounter/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/encounter	Create with properties in request
POST /ws/rest/v1/encounter/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/encounter/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/encounter/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display encounterDatetime patient location form encounterType provider obs orders voided visit links resourceVersion	uuid display encounterDatetime patient location form encounterType provider obs orders voided auditInfo visit links resourceVersion	encounterDatetime patient encounterType location form provider orders obs visit	encounterDatetime patient encounterType location form provider orders obs visit

EncounterType

URLs

url	description
GET /ws/rest/v1/encountertype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/encountertype/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/encountertype	Create with properties in request
POST /ws/rest/v1/encountertype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/encountertype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/encountertype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description

Field

URLs

url	description
GET /ws/rest/v1/field	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/field/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/field	Create with properties in request
POST /ws/rest/v1/field/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/field/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/field/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description fieldType concept tableName attributeName defaultValue selectMultiple retired links resourceVersion	uuid display name description fieldType concept tableName attributeName defaultValue selectMultiple retired auditInfo links resourceVersion	name description fieldType selectMultiple concept tableName attributeName defaultValue	name description fieldType selectMultiple concept tableName attributeName defaultValue

FieldAnswer

URLs

url	description
GET /ws/rest/v1/field/{parentUuid}/answer/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/field/{parentUuid}/answer	Fetch all non-retired
POST /ws/rest/v1/field/{parentUuid}/answer	Create with properties in request

POST /ws/rest/v1/field/{parentUuid}/answer/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/field/{parentUuid}/answer/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/field/{parentUuid}/answer/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display concept field links resourceVersion	uuid display concept field auditInfo links resourceVersion	field concept	field concept

FieldType

URLs

url	description
GET /ws/rest/v1/fieldtype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/fieldtype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/fieldtype	Create with properties in request
POST /ws/rest/v1/fieldtype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/fieldtype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/fieldtype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description isSet retired links resourceVersion	uuid display name description isSet retired auditInfo links resourceVersion	name description	name description

Form

URLs

url	description
GET /ws/rest/v1/form	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/form/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/form	Create with properties in request
POST /ws/rest/v1/form/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/form/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/form/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description encounterType version build published formFields retired links resourceVersion	Not supported	name description version encounterType build published formFields xslt template	name description version encounterType build published xslt template

FormField

URLs

url	description
GET /ws/rest/v1/form/{parentUuid}/formfield/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/form/{parentUuid}/formfield	Fetch all non-retired
POST /ws/rest/v1/form/{parentUuid}/formfield	Create with properties in request
POST /ws/rest/v1/form/{parentUuid}/formfield/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/form/{parentUuid}/formfield/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/form/{parentUuid}/formfield/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display parent form field fieldNumber fieldPart pageNumber minOccurs maxOccurs required sortWeight retired links resourceVersion	uuid display parent form field fieldNumber fieldPart pageNumber minOccurs maxOccurs required sortWeight retired auditInfo links resourceVersion	form field required parent fieldNumber fieldPart pageNumber minOccurs maxOccurs sortWeight	form field required parent fieldNumber fieldPart pageNumber minOccurs maxOccurs sortWeight

FormResource

URLs

url	description
GET /ws/rest/v1/form/{parentUuid}/resouce/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/form/{parentUuid}/resouce	Fetch all non-retired
POST /ws/rest/v1/form/{parentUuid}/resouce	Create with properties in request
POST /ws/rest/v1/form/{parentUuid}/resouce/{uuid}	Edit with given uuid, only modifying properties in request

POST /ws/rest/v1/form/{parentUuid}/resource/{uuid}/value	Edit the value associated with this file stored in clob_data_type_storage (Essentially upload a file using multipart/formdata Content-Type)
DELETE /ws/rest/v1/form/{parentUuid}/resource/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/form/{parentUuid}/resource/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid name valueReference display links	uuid name valueReference dataType handler handler handlerConfig handlerConfig display links	valueReference name dataType handler handlerConfig	valueReference name dataType handler handlerConfig

HL7

URLs

url	description
GET /ws/rest/v1/hl7	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/hl7/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/hl7	Create with properties in request
POST /ws/rest/v1/hl7/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/hl7/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/hl7/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display messageState links resourceVersion	uuid display source sourceKey data messageState links resourceVersion	hl7	hl7

HL7Source

URLs

url	description
GET /ws/rest/v1/hl7source	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/hl7source/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/hl7source	Create with properties in request
POST /ws/rest/v1/hl7source/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/hl7source/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/hl7source/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description

Location

URLs

url	description
GET /ws/rest/v1/location	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/location/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/location	Create with properties in request
POST /ws/rest/v1/location/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/location/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/location/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 tags parentLocation childLocations retired attributes links resourceVersion	uuid display name description address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 tags parentLocation childLocations retired auditInfo attributes links resourceVersion	name description address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 tags parentLocation childLocations attributes	name description address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 tags parentLocation childLocations attributes

LocationAttribute

URLs

url	description
GET /ws/rest/v1/location/{parentUuid}/attribute/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/location/{parentUuid}/attribute	Fetch all non-retired
POST /ws/rest/v1/location/{parentUuid}/attribute	Create with properties in request
POST /ws/rest/v1/location/{parentUuid}/attribute/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/location/{parentUuid}/attribute/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/location/{parentUuid}/attribute/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	Not supported	Not supported	value attributeType	value attributeType

LocationAttributeType

URLs

url	description
GET /ws/rest/v1/locationattributetype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/locationattributetype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/locationattributetype	Create with properties in request
POST /ws/rest/v1/locationattributetype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/locationattributetype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/locationattributetype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description minOccurs maxOccurs datatypeClassname preferredHandlerClassname retired links resourceVersion	uuid display name description minOccurs maxOccurs datatypeClassname datatypeConfig preferredHandlerClassname handlerConfig retired auditInfo links resourceVersion	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig

LocationTag

URLs

url	description
GET /ws/rest/v1/locationtag	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/locationtag/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/locationtag	Create with properties in request
POST /ws/rest/v1/locationtag/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/locationtag/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/locationtag/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description retired retireReason	name description retired retireReason

Obs

URLs

url	description
GET /ws/rest/v1/obs	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/obs/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/obs	Create with properties in request
POST /ws/rest/v1/obs/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/obs/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/obs/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display person concept value valueModifier obsDatetime accessionNumber obsGroup valueCodedName groupMembers comment location order encounter voided links resourceVersion	uuid display person concept value valueModifier obsDatetime accessionNumber obsGroup valueCodedName groupMembers comment location order encounter voided auditInfo links resourceVersion	person obsDatetime concept location order encounter value valueModifier accessionNumber groupMembers valueCodedName comment	person obsDatetime concept location order encounter value valueModifier accessionNumber groupMembers valueCodedName comment

Order

URLs

url	description
GET /ws/rest/v1/order	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired

GET /ws/rest/v1/order/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/order	Create with properties in request
POST /ws/rest/v1/order/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/order/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/order/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links type	uuid display orderType patient concept instructions startDate autoExpireDate encounter orderer accessionNumber discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded links type resourceVersion	uuid display orderType patient concept instructions startDate autoExpireDate encounter orderer accessionNumber discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded auditInfo links type resourceVersion	patient orderType concept encounter careSetting orderReason orderReasonNonCoded instructions startDate autoExpireDate orderer discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded accessionNumber	orderType patient concept instructions startDate autoExpireDate encounter orderer discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded accessionNumber

DrugOrder subclass of Order

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links type	uuid display orderType patient concept instructions startDate autoExpireDate encounter orderer accessionNumber discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded dose units frequency prn complex quantity drug links type resourceVersion	uuid display orderType patient concept instructions startDate autoExpireDate encounter orderer accessionNumber discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded auditInfo dose units frequency prn complex quantity drug links type resourceVersion	patient concept orderType encounter careSetting orderReason orderReasonNonCoded instructions startDate autoExpireDate orderer discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded accessionNumber dose units frequency prn complex quantity drug	patient concept instructions startDate autoExpireDate encounter orderer discontinuedBy discontinuedDate discontinuedReason discontinuedReasonNonCoded accessionNumber dose units frequency prn complex quantity drug



orderType is a required attribute but the API infers this from the specified mapping in the system so you shouldn't specify this.

OrderType

URLs

url	description
GET /ws/rest/v1/orderType	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/orderType/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/orderType	Create with properties in request
POST /ws/rest/v1/orderType/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/orderType/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/orderType/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description

Patient

URLs

url	description
GET /ws/rest/v1/patient	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/patient/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/patient	Create with properties in request
POST /ws/rest/v1/patient/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/patient/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/patient/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display identifiers person voided links resourceVersion	uuid display identifiers person voided auditInfo links resourceVersion	person identifiers	null

PatientIdentifier

URLs

url	description
-----	-------------

GET /ws/rest/v1/patient/{parentUuid}/identifier/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/patient/{parentUuid}/identifier	Fetch all non-retired
POST /ws/rest/v1/patient/{parentUuid}/identifier	Create with properties in request
POST /ws/rest/v1/patient/{parentUuid}/identifier/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/patient/{parentUuid}/identifier/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/patient/{parentUuid}/identifier/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid identifier identifierType location preferred voided links resourceVersion	display uuid identifier identifierType location preferred voided auditInfo links resourceVersion	identifier identifierType location preferred	identifier identifierType location preferred

PatientIdentifierType

URLs

url	description
GET /ws/rest/v1/patientidentifiertype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/patientidentifiertype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/patientidentifiertype	Create with properties in request
POST /ws/rest/v1/patientidentifiertype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/patientidentifiertype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/patientidentifiertype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description format formatDescription required checkDigit validator locationBehavior retired links resourceVersion	uuid display name description format formatDescription required checkDigit validator locationBehavior retired auditInfo links resourceVersion	name description format formatDescription required checkDigit validator locationBehavior uniquenessBehavior	name description format formatDescription required checkDigit validator locationBehavior uniquenessBehavior

Person

URLs

url	description
-----	-------------

GET /ws/rest/v1/person	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/person/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/person	Create with properties in request
POST /ws/rest/v1/person/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/person/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/person/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display gender age birthdate birthdateEstimated dead deathDate causeOfDeath preferredName preferredAddress attributes voided links resourceVersion	uuid display gender age birthdate birthdateEstimated dead deathDate causeOfDeath preferredName preferredAddress names addresses attributes voided auditInfo links resourceVersion	names gender age birthdate birthdateEstimated dead deathDate causeOfDeath addresses attributes	gender birthdate birthdateEstimated dead deathDate causeOfDeath preferredName preferredAddress

PersonAddress

URLs

url	description
GET /ws/rest/v1/person/{parentUuid}/address/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/person/{parentUuid}/address	Fetch all non-retired
POST /ws/rest/v1/person/{parentUuid}/address	Create with properties in request
POST /ws/rest/v1/person/{parentUuid}/address/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/person/{parentUuid}/address/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/person/{parentUuid}/address/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
---------	-------------	----------	-------------	-------------

uuid display links	display uuid preferred address1 address2 cityVillage stateProvince country postalCode countyDistrict address3 address4 address5 address6 startDate endDate latitude longitude voided links resourceVersion	display uuid preferred address1 address2 address3 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 startDate endDate voided auditInfo links resourceVersion	preferred address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 startDate endDate	preferred address1 address2 cityVillage stateProvince country postalCode latitude longitude countyDistrict address3 address4 address5 address6 startDate endDate
--------------------------	--	---	---	---

PersonAttribute

URLs

url	description
GET /ws/rest/v1/person/{parentUuid}/attribute/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/person/{parentUuid}/attribute	Fetch all non-retired
POST /ws/rest/v1/person/{parentUuid}/attribute	Create with properties in request
POST /ws/rest/v1/person/{parentUuid}/attribute/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/person/{parentUuid}/attribute/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/person/{parentUuid}/attribute/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid value attributeType voided links resourceVersion	display uuid value attributeType voided auditInfo links resourceVersion	*value/hydratedObject attributeType	value attributeType

* Use "**value**" if the value being stored is a simple string such as phone numbers, citizenship e.t.c. On the other hand if value represents an OpenMRS Attributable domain object then use "**hydratedObject**" passing the uuid of the corresponding object. Examples of Attributable domain object are concepts and locations. Using "hydratedObject" enables the module to translate the value correctly into corresponding internal IDs, otherwise it will be served in the system as is without transformation which won't work during retrieval.

PersonAttributeType

URLs

url	description
GET /ws/rest/v1/personattributetype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/personattributetype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/personattributetype	Create with properties in request
POST /ws/rest/v1/personattributetype/{uuid}	Edit with given uuid, only modifying properties in request

DELETE /ws/rest/v1/personattributetype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/personattributetype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description format foreignKey sortWeight searchable editPrivilege retired links resourceVersion	uuid display name description format foreignKey sortWeight searchable editPrivilege retired auditInfo links resourceVersion	name description format foreignKey sortWeight searchable editPrivilege	name description format foreignKey sortWeight searchable editPrivilege

PersonName

URLs

url	description
GET /ws/rest/v1/person/{parentUuid}/name/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/person/{parentUuid}/name	Fetch all non-retired
POST /ws/rest/v1/person/{parentUuid}/name	Create with properties in request
POST /ws/rest/v1/person/{parentUuid}/name/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/person/{parentUuid}/name/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/person/{parentUuid}/name/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	display uuid givenName middleName familyName familyName2 voided links resourceVersion	display uuid givenName middleName familyName familyName2 preferred prefix familyNamePrefix familyNameSuffix degree voided auditInfo links resourceVersion	givenName familyName middleName familyName2 preferred prefix familyNamePrefix familyNameSuffix degree	givenName familyName middleName familyName2 preferred prefix familyNamePrefix familyNameSuffix degree

Privilege

URLs

url	description
GET /ws/rest/v1/privilege	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/privilege/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/privilege	Create with properties in request
POST /ws/rest/v1/privilege/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/privilege/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/privilege/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	description

Problem

URLs

url	description
GET /ws/rest/v1/problem	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/problem/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/problem	Create with properties in request
POST /ws/rest/v1/problem/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/problem/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/problem/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display person activeListType startDate endDate startObs stopObs comments voided modifier sortWeight problem links resourceVersion	uuid display person activeListType startDate endDate startObs stopObs comments voided auditInfo modifier sortWeight problem links resourceVersion	person startDate comments startObs stopObs problem modifier sortWeight	person startDate comments startObs stopObs problem modifier sortWeight

Provider

URLs

url	description
GET /ws/rest/v1/provider	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/provider/{uuid}	Fetch by unique uuid

POST /ws/rest/v1/provider	Create with properties in request
POST /ws/rest/v1/provider/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/provider/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/provider/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display person identifier attributes retired links resourceVersion	uuid display person identifier attributes retired auditInfo links resourceVersion	person identifier attributes retired	person identifier attributes retired

ProviderAttribute

URLs

url	description
GET /ws/rest/v1/provider/{parentUuid}/attribute/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/provider/{parentUuid}/attribute	Fetch all non-retired
POST /ws/rest/v1/provider/{parentUuid}/attribute	Create with properties in request
POST /ws/rest/v1/provider/{parentUuid}/attribute/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/provider/{parentUuid}/attribute/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/provider/{parentUuid}/attribute/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	Not supported	Not supported	value attributeType	value attributeType

ProviderAttributeType

URLs

url	description
GET /ws/rest/v1/providerattributetype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/providerattributetype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/providerattributetype	Create with properties in request
POST /ws/rest/v1/providerattributetype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/providerattributetype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/providerattributetype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description minOccurs maxOccurs datatypeClassname preferredHandlerClassname retired links resourceVersion	uuid display name description minOccurs maxOccurs datatypeClassname datatypeConfig preferredHandlerClassname handlerConfig retired auditInfo links resourceVersion	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig

Role

URLs

url	description
GET /ws/rest/v1/role	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/role/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/role	Create with properties in request
POST /ws/rest/v1/role/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/role/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/role/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description retired privileges inheritedRoles links resourceVersion	uuid display name description retired privileges inheritedRoles allInheritedRoles auditInfo links resourceVersion	name description privileges inheritedRoles	description privileges inheritedRoles

User

URLs

url	description
GET /ws/rest/v1/user	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/user/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/user	Create with properties in request
POST /ws/rest/v1/user/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/user/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/user/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display username systemId userProperties person privileges roles retired links resourceVersion	uuid display username systemId userProperties person privileges roles allRoles proficientLocales secretQuestion retired auditInfo links resourceVersion	username password person systemId userProperties roles proficientLocales secretQuestion	username password person systemId userProperties roles proficientLocales secretQuestion

Visit

URLs

url	description
GET /ws/rest/v1/visit	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/visit/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/visit	Create with properties in request
POST /ws/rest/v1/visit/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/visit/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/visit/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
Not supported	Not supported	Not supported	patient visitType startDatetime location indication stopDatetime encounters attributes	visitType startDatetime location indication stopDatetime encounters attributes

VisitAttribute

URLs

url	description
GET /ws/rest/v1/visit/{parentUuid}/attribute/{uuid}	Fetch by unique uuid
GET /ws/rest/v1/visit/{parentUuid}/attribute	Fetch all non-retired
POST /ws/rest/v1/visit/{parentUuid}/attribute	Create with properties in request
POST /ws/rest/v1/visit/{parentUuid}/attribute/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/visit/{parentUuid}/attribute/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/visit/{parentUuid}/attribute/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
---------	-------------	----------	-------------	-------------

uuid display links	Not supported	Not supported	value attributeType	value attributeType
--------------------------	---------------	---------------	--------------------------------	--------------------------------

VisitAttributeType

URLs

url	description
GET /ws/rest/v1/visitattributetype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/visitattributetype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/visitattributetype	Create with properties in request
POST /ws/rest/v1/visitattributetype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/visitattributetype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/visitattributetype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
uuid display links	uuid display name description minOccurs maxOccurs datatypeClassname preferredHandlerClassname retired links resourceVersion	uuid display name description minOccurs maxOccurs datatypeClassname datatypeConfig preferredHandlerClassname handlerConfig retired auditInfo links resourceVersion	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig	name datatypeClassname description minOccurs maxOccurs datatypeConfig preferredHandlerClassname handlerConfig

VisitType

URLs

url	description
GET /ws/rest/v1/visitype	Fetch all non-retired that match any specified parameters otherwise fetch all non-retired
GET /ws/rest/v1/visitype/{uuid}	Fetch by unique uuid
POST /ws/rest/v1/visitype	Create with properties in request
POST /ws/rest/v1/visitype/{uuid}	Edit with given uuid, only modifying properties in request
DELETE /ws/rest/v1/visitype/{uuid}?!purge	Retire/Void this object
DELETE /ws/rest/v1/visitype/{uuid}?purge	Delete this object from the database

Representations

GET ref	GET default	GET full	POST create	POST update
---------	-------------	----------	-------------	-------------

uuid display links	uuid display name description retired links resourceVersion	uuid display name description retired auditInfo links resourceVersion	name description	name description
--------------------------	---	--	----------------------------	----------------------------